



NEWS FOR YOUR PRACTICE

March 2022
800.733.0833 | implantech.com

PICTURES SPEAK VOLUMES

Check out some before-after photos


TRAINING WORKSHOPS

Sign up for updated class schedules

FANCY MEETING YOU

Meetings where we hope to see you!

FACIAL IMPLANTS vs. DERMAL FILLERS



Discover the crucial differences

Injectable facial fillers certainly have their place in today's aesthetic medicine, especially those that smooth shallow wrinkles, help correct acne scarring or hydrate the skin.

Some of the thicker fillers are used to add volume to various areas, but quite a bit is often needed to achieve notable results.

Multiple syringes or one implant

CONFORM™ FACIAL IMPLANTS



Super flexible silicone
It's all about the grid

Conform™ Facial Implants

Great reasons to be on the grid

Some patients experience soft tissue loss in their aging face, and some may have a need for more balanced facial features. Still others suffer from traumatic facial injury.

In such cases, Implantech's **Conform™ facial implants** can provide the long-term volume required for a youthful, aesthetic appearance.

They feature a grid-like backing, giving them flexibility to contour to underlying bone and tissue in chin, midfacial and jaw areas.



Conform™ Extended Anatomical Chin

Adds projection to create a stronger chin and greater facial harmony



Conform Binder Submalar®

Ideal for replacing volume lost beneath the cheekbone in the aging face



Conform Terino Malar Shell®

Augments the volume-deficient cheek area for a more balanced face



Conform™ Midfacial

Augments both malar and submalar regions for a fuller, more aesthetic appearance



Conform™ Mandibular Angle

Unique design provides a jaw angle plus lateral projection

Plus, **Conform™**

Check out the photos below to see how many 1-ml syringes are typically needed to replicate the volume of their silicone facial implant counterparts.

CHIN IMPLANT

JAW ANGLES

CHEEKS

CUSTOM JAW

1-ml syringes needed to provide same volume as the corresponding facial implants

Photos courtesy of Barry L. Eppley, MD, DMD

Implants for sharper definition

Numerous doctors agree that injectables lack the sharper definition of preformed facial implants. For example, as noted in various published blogs:

- **Dr. Douglas Sidle** in Chicago says the results of dermal fillers “are nowhere near as dramatic as implant surgery.”
- Scottsdale’s **Dr. Todd Hobgood** states, “A silicone chin implant adds firmer, more defined volume than fillers achieve.”
- And in New York, **Dr. Steven Pearlman** writes that, “Unlike fillers..facial implants augment the skeletal structure of the face” which “can significantly improve the appearance and shape of the face.”

Fillers need periodic follow-up

Lastly, virtually all fillers require periodic follow-up maintenance, which may push their total cost to be greater than that of one-time implant surgery.

For more details, take a look at Dr. William Binder’s blog, “[What is the difference between fillers and implants?](#)”

Contact **Implantech** today for information about **silicone** or **ePTFE facial implants**. Your patients will appreciate the options!



Volume in all the right places
Discover Custom™ Facial Implants

With their unique design, Custom™ implants are the only implants that can be custom tailored to fit your patient's unique facial structure. Custom™ implants are made from medical grade silicone and are FDA approved. They are made to order for your practice and are available in a variety of sizes and shapes. Contact us today for more information.

Implantech
800.733.0833 | implantech.com


implants are easily trimmed with scalpel or scissors for a more patient-tailored fit.

Check out our **sell sheet**, or **contact us** for more information about our innovative line of

Conform™ silicone facial implants.

Free practice enhancement is just a click away!

The Latest Techniques Facial & Body-Contouring Implants



CADAVER LAB

June 2022

November 2022

Questions about our products or their uses?
implantech.com | 800.733.0833



IMP-642/0322